## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	23172	370/229,230,389,392,400,401,471.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 16:55
L2	168	blocked with destination with address\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 16:56
L3	33	1 and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 16:56
L4	101	block\$3 with (broadcast adj1 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 16:58
L5	69	filter\$3 with(broadcast adj1 address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 17:04

L6	16	1 and 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 17:04
L7	137	(permit\$4 or allow\$3) with (broadcast adj1 address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 17:05
L8	19	1 and 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 17:05
L9	104286	invalid or (non near forward\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 17:06
L10	55427	destination near address\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 17:06
L11	121	L9 near3 L10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 17:06
L12	599	(rout\$3 adj1 table\$1) near2 (destination adj1 address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 17:09

L13	190	1 and 12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 17:09
S1	5	blocked adj1 destination adj1 address\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 08:45
S2	92	blocked with destination with address\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 13:40
S3	1	deprecated adj1 directed adj1 broadcast adj1 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 15:36
S4	1	deprecated adj1 broadcast adj1 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 15:36
<b>S</b> 5	63	block\$3 with (broadcast adj1 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 15:38
<b>S</b> 6	86	(permit\$4 or allow\$3) with (broadcast adj1 address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 16:01

S7	0	prohibit\$3 with filter\$3 with(broadcast adj1 address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 15:49
S8	51	filter\$3 with(broadcast adj1 address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 15:50
S9	11	filter\$3 with(broadcast adj1 address\$2) with table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 15:56
S10	11	filter\$3 with (broadcast adj1 address\$2) with table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 16:01
S11	51	filter\$3 with (broadcast adj1 address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 16:08
S12	337	subnet with prefix with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 16:10
S13	47	invalid adj1 destination adj1 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/19 10:45

S14	10	packet with S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/19 10:45
S15	0	"predetermined non-forwading address table"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 12:54
S16	1390	invalid adj1 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 18:42
S17	11	(invalid adj1 address) near2 table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 12:56
S18	1410	invalid adj1 address\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 12:56
S19	31	packet near2 S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 13:20
S20	2	(routing adj1 table) with (invalid adj1 address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 13:27

S21	2508	(den\$3 or block\$3 or reject43) with (destination adj1 address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 13:41
S22	2670	(den\$3 or block\$3 or reject\$3) with (destination adj1 address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 18:44
S23	1640	@ad<"20010925" and S22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 13:42
S24	58	(routing adj1 table) same S22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 16:44
S25	12	(non adj1 forward\$3) with table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ÖN	2006/09/29 16:15
S26	0	bloccked adj1 address\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 16:15
S27	160	blocked adj1 address\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 16:18

S28	61	(routing adj1 table) with block\$3 with transmi\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 16:20
S29	4	(non-forward\$3) with (destination adj1 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 16:22
S30	6	blocked adj1 destination adj1 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 16:24
S31	12	(address adj1 filter\$3) with (rout\$3 adj1 table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29
S32	14612	(rout\$3 adj1 table\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 16:27
S33	447	(rout\$3 adj1 table\$1) near2 (destination adj1 address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 16:39
S34	40	(drop\$3 or discard\$3) same S33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 16:40

<b>S</b> 35	0	(routing adj1 table) same (invalid adj1 destination adj1 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 16:45
S36	229	(destination adj1 address) with (invalid or illegal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 17:08
<b>S</b> 37	0	predetermined with (non adj1 forward\$3) with (destination adj1 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 17:09
S38	4	(non adj1 forward\$3) with (destination adj1 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 17:09
<b>S</b> 39	15989	370/229,230,389,392,400,401,471.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 18:49
S40	1390	invalid adj1 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 18:42
S41	42	S40 and S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 18:42

S42	2670	(den\$3 or block\$3 or reject\$3) with (destination adj1 address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ÓN	2006/09/29 18:44
S43	385	S39 and S42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ÓN	2006/09/29 18:44
S44	51	invalid adj1 destination adj1 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 17:42
S45	261	(non adj1 forward\$3) or nonforward\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 17:45
S46	4	(destination adj1 address) near2 \$45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 17:47
S47	494	bridge same (routing adj1 table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 17:48
S48	19	discard\$3 same S47	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 17:48

<b>S</b> 49	1	deprecated adj1 directed adj1 broadcast adj1 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 08:50
S50	346	((destination near address) with (identif\$3 look \$up (look adj up) invalid\$5 drop\$3 unfound\$3 unauthoriz\$5 ban\$3 den\$4 prevent\$3 prohibit\$4 forbid\$4 refus\$3 reject\$3 illegal loop\$back (loop adj back) reserv\$3 deprecat\$3) same filt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 15:20
S51	103	S50 and ((rout\$3 forward\$3) adj table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 15:40
S52	58	S51 and (@ad<"20010925" @rlad<"20010925")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 15:41
<b>S</b> 57	347	((destination near address) with (identif\$3 look \$up (look adj up) invalid\$5 drop\$3 unfound\$3 unauthoriz\$5 ban\$3 den\$4 prevent\$3 prohibit\$4 forbid\$4 refus\$3 reject\$3 illegal loop\$back (loop adj back) reserv\$3 deprecat\$3) same filt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ÖN	2007/08/30 16:55
S58	212	invalid near5 (destination near2 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 16:57
S59	12	(drop\$4 or discard\$3 or filter\$3) with S58	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 17:02

S60	20	(drop\$4 or discard\$3 or filter\$3) same S58	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 17:57
S61	89806	invalid or (non near forward\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 17:58
S62	46450	destination near address\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 17:59
S63	214	S61 with S62	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 17:59
S64	108	S61 near3 S62	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 13:25
<b>S</b> 65	0	(pre near determined) near4 S64	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 18:01
S66	6	(drop\$4 or discard\$3) with S64	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 18:10

S67	2	"6694353".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 18:29
S68	0	(discard\$3 near3 flag) with (routing adj1 table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 13:26
S69	1436	(discard\$3 drop\$5) near3 flag	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31
S70	16864	rout\$3 adj1 table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 13:27
S71	0	S69 with S70	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 13:27
S72	9	(table\$1 with packet\$1) with \$69	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 13:30
S73	236	(table\$1 with packet\$1) and S69	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 13:46

S74	55	count\$3 with (drop\$4 near2 packet\$1) with source and destination	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 13:50
S75	641	count\$3 with (drop\$4 near2 packet\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 13:52
S76	278	@ad<"20010925" and S75	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 13:52
S77	2	"6694353".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/20 10:51
S78	2	"6694353".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 13:26
S79	108	internal with ip with address with filter\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 13:40
S80	12	(internal adj ip adj address) with filter\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 13:41

S81	998	(internal privite) near2 ip near3 address\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 13:45
S82	66	filter\$3 with S81	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 13:46
S83	362	(internal privite) near3 (destination adj address \$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 13:56
S84	169674	"11" with filter\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 14:00
S85	9	(filter\$3 drop\$3) with S83	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 14:01
S86	58	invalid adj destination adj address\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 14:38
S87	70	(filter\$3 drop\$4 discard\$3) with (invalid near2 address\$2) with packet\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 14:41

S88	323	(non adj forward\$3) nonforward\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 15:12
S89	6	(destination near2 address\$2) with \$88	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 15:13
S90	2	"6219706".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 10:33
S91	2	"6651096".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 10:34
S92	25	destinat\$3 adj address same (discard\$3 drop\$4) same acl	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 10:36
S93	25	destinat\$3 adj address same (discard\$3 drop\$4) and acl and @ad<"20010925"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 10:43
S94	0	acl same datination adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 10:51

<b>S</b> 95	137	acl same destination adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 10:52
S96	0	acl same invalid adj destination adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 10:52
S97	59	acl same (invalid nonforward\$3 adj destination adj address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 10:53
S98	70603	address near2 (book list table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 10:57
S99	10363	((non adj forward\$3) block\$3 prohibit\$3) same S98	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 10:58
S100	919	((non adj forward\$3) nonforward\$3 block\$3 prohibit\$3) same S98 same packet\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 10:58
S101	462	@ad<"20010925" and S100	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 10:59

S102	395	address near5 (book list table) near5 invalid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 11:02
S103	178	@ad<"20010925" and S102	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 11:03
S104	0	regist\$3 near5 (destination adj address) with (childeren kids) same web	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 11:18
S105	0	register\$3 near5 (destination adj address) with (childeren kids) same web	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 11:18
S106	3235	register\$3 near5 (destination adj address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 11:19
S107	12	register\$3 near5 (destination adj address) with (block\$3 prohibit\$3) with access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 11:20
S108	2945	(destination adj address) with (block\$3 prohibit\$3 nonforward\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 11:22

S109	73	(destination adj address) with (prohibit\$3 nonforward\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 11:22
S110	0	prohibited adj dstination adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 11:30
S111	3	prohibited adj destination adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 11:31
S112	59381	prohibited (non adj accessable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 14:00
S113	13	(non adj accessable) nonaccessable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 14:02
S114	4	access\$3 near2 prohibit\$3 with (destination adj address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 16:16
S115	2	"20030014665".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 16:20

S116	2	"20020038339".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 16:45
S117	1033	(destination near2 address) with (drop\$4 discard \$3) with packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 16:51
S118	1033	2ad<"20010921" and S117	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 16:52
S119	438	@ad<"20010921" and S117	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 16:53
S120	21742	370/229,230,389,392,400,401,471.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/20 13:05
S121	155	blocked with destination with address\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/20 13:06
S122	30	S120 and S121	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/20 13:06

S123	283	(destination adj1 address) with (invalid or illegal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/20 13:07
S124	30	S120 and S123	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/20 13:08
S125	324	(non adj1 forward\$3) or nonforward\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/20 13:09
S126	18	S120 and S125	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/20 13:09
S127	26	deprecate\$3 near2 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/09 13:31

12/10/2008 5:17:49 PM

 $C:\\ \ \ \, Documents \ \, and \ \, Settings\\ \ \, shyun\\ \ \, My \ \, Documents\\ \ \, EAST\\ \ \, Workspaces\\ \ \, 09965514.wsp$